





ER



Product description

- One-piece knobs, 2 pieces. Complete with WC escutcheon and red/white indicator.
- Emergency opening using 8 mm square spindle (AV) or external release slot on request (SK).
- Concealed screw attachment.
- Available for all common panel thicknesses.




ER


AI




Ku





ER

Colour/material		Door thickness	Material	Art. no.
Stainless steel, matt brushed	8 mm	27-31 mm	AV	5030005531
Stainless steel, matt brushed	8 mm	27-31 mm	SK	On request




AI

Colour/material		Door thickness	Material	Art. no.
F1 aluminium	8 mm	27-31 mm	AV	5030005721
F1 aluminium	8 mm	27-31 mm	SK	5030052581
















 White*
 RAL 9010
  Dark grey*
 RAL 7030/7038

Ku

Colour/material		Door thickness	Material	Art. no.
White RAL 9010	8 mm	25-30 mm	AV	5030010022
Dark grey RAL 7030/7038	8 mm	25-30 mm	AV	5030010023

Sanitary partitions ■ Choice of colours

RAL tone similar*	Standard	No.	Colour
RAL 9010		08	White
RAL 7030 / 7038		37	Dark grey
On request			
RAL 3003		01	Red
RAL 9005		02	Black
RAL 8022		04	Dark brown
RAL 6029		05	Green
RAL 1021		07	Yellow
RAL 5002		09	Blue
RAL 9016		15	Traffic white
RAL 3007		18	Dark red
RAL 6012		19	Dark green
RAL 7043		20	Traffic grey
RAL 5011 / 5013		21	Dark blue



ECO Schulte GmbH & Co. KG

Iserlohner Landstraße 89

D-58706 Menden

Telephone +49 2373 9276 - 0

Telefax +49 2373 9276 - 40

info@eco-schulte.de

www.eco-schulte.de

Our compendium represents a compilation of all products from our range of services. These are subject to different delivery classes. Special variants included are often manufactured to customer specifications and sometimes require longer delivery times and minimum purchase quantities. Further advise can be given by your contact person.

■ SYSTEM TECHNOLOGY FOR THE DOOR

